


## THERMOCOAX single core heaters



Without cold
With cold er
With true cold
With swagir
Self-regulate
With coiled c

1 of 5 4/10/2002 4:35 PM

## Without cold ends: 1 Nc and 1 Hc types

These types are suitable for all kind of applications when:

- power density is low, generally < 100 W/m.</li>
- the ends do not go through an insulated wall.

Maximum working temperature : 600°C.

O.D. (1/10th mm)	1 Nc Ac or 1 Nc I	1 Hc Ac or 1 Hc I		
	Line resistance in ohms/m*			
05	50	-		
10	12.5	28		
15	5.5	12.4		
20	3.1	7.0		
25	2.0	4.5		
30	1.38	3.1		
40	0.77	1.75		

Core:

Insulant:

Sheath:

**Back to top** 

## With cold ends: ZEZ and ZUZ types

These types are the more commonly used. With the Inconel sheath and with fixed lengths, they are available standard under the names SEI and SEA.

They are suitable for all types of applications with either low or high power and they are chosen according to the line resistance.

2 of 5 4/10/2002 4:35 PM

Maximum working temperature:
 hot part:
 1000°C
 cold ends:
 600°C.

Sheath material	O.D. (1/10th mm)	Minimum heating length in cm	Z	ΞZ	Ζl	JZ
			Line resistance in ohms/m at 20°C*			
			Hot part	Cold part	Hot part	Cold part
	10	100	12.5	0.6	-	-
Stainless steel (Ac) or Inconel® (I)	15	50	5.5	0.3	12.4	0.3
	20	25	3.1	0.15	7.0	0.15
	25	25	2.0	0.1	4.5	0.1
	30	25	1.4	0.07	3.1	0.07
	40	25	0.78	0.04	1.8	0.04

Insulant

Sheath

without any joints, flush contour around the hot/cold transitions.

**Back to top** 

3 of 5

## With true cold ends: TET and TUT types

They are recommended when the specific power is very high and the cold ends have to be long. The materials and characteristics are identical to chose of the ZEZ or ZUZ types except for the electrical resistance of the core at the cold ends:

Maximum working temperatures:
hot part:
1000°C
cold part:
300°C.


Sheath material	O.D. (1/10th mm)	Minimum heating length in cm*	TET		TUT	
			Line resistance in ohms/m at 20°C **			
			Hot part	Cold part	Hot part	Cold part
Stainless	15	100	5.5	0.07	12.4	0.07
Steel (Ac)	20	100	3.1	0.04	7.0	0.04
or	25	100	2.0	0.03	4.5	0.03
Inconel® (I)	30	100	1.4	0.02	3.1	0.02

Core

Insulant

Back to top

4 of 5 4/10/2002 4:35 PM



Back to top
Back to complete range

Standard rar Twin core

Self regulate Connection Fixing meth

5 of 5